

What is claimed is:

4

3

Docket No.: SNY-P3846 -12- PATENT

| | 2 | on wh | nich a plurality of applications run, a method of downloading an operating |
|-----------------|----|--------|--|
| | 3 | syste | m and an application which runs on the operating system, comprising: |
| | 4 | | providing a menu of selections representing a plurality of available |
| | 5 | applic | cations including said application; |
| | 6 | | receiving a signal representing a user's selection of a desired application; |
| | 7 | | responsive to receiving the signal, connecting to a service provider; |
| | 8 | | downloading the operating system associated with the desired application |
| - | 9 | from t | he service provider; |
|] [] 1(| 10 | | downloading the desired application; and |
| n | 11 | | executing the desired application. |
| y y | 12 | | |
| j | 13 | 2. | The method of claim 1, wherein the application comprises an entertainment |
|] _ 14 | 14 | netwo | ork service application. |
| The State State | 15 | | |
| - | 16 | 3. | The method of claim 1, wherein the connecting comprises: |
| | 17 | | connecting to a Master Server; |
| | 18 | | obtaining a URL from the Master Server; and |
| | 19 | | connecting to the URL via the service provider. |
| | 20 | | |
| | 21 | 4. | The method of claim 3, further comprising authenticating the client device |
| | 22 | at the | Master Server. |

On a client device capable of operating using a plurality of operating systems

1

1.

| 1 | 5. | The method of claim 1, wherein the connecting comprises: |
|-----------------|--------|---|
| 2 | | connecting to a Master Server; |
| 3 | | obtaining a URL from the Master Server; |
| 4 | | obtaining a telephone number for a service provider from the Master Server; |
| 5 | and | |
| 6 | | connecting to the URL via the service provider by dialing the telephone |
| 7 | numb | er provided by the Master Server. |
| 8 | | |
| 9 | 6. | The method of claim 5, further comprising authenticating the client device |
| ☐ ☐ 10 √ | at the | Master Server. |
| 10 10 11 | | |
| ₩ 12 ₩ 13 | 7. | The method of claim 1, wherein the downloading stages comprise |
| ₅ 10 | down | oading to a flash memory element. |
| □ ⊭ 14 | | |
| N U 15 C | 8. | The method of claim 1, wherein the downloading stages comprise |
| 16 | down | oading a compressed image of the operating system and application. |
| 17 | | |
| 18 | 9. | The method of claim 6, further comprising decompressing the operating |
| 19 | syster | m and the application prior to the executing stage. |
| 20 | | |
| 21 | | |
| 22 | | |

Docket No.: SNY-P3846 -14- PATENT

| | To. A Set Top Box, comprising in combination. |
|----|--|
| 2 | a processor capable of running application software under a plurality of |
| 3 | operating systems; and |
| 4 | program means for: |
| 5 | displaying an icon representing an application; |
| 6 | responsive to the selection of the icon for initiating a download of an |
| 7 | operating system associated with the application; |
| 8 | initiating a download of the application software associated with the |
| 9 | icon; and |
| 10 | executing the application on the processor using the operating |
| 11 | system. |
| 12 | |
| 13 | 11. The Set Top Box of claim 10, wherein the program means is stored in a non- |
| 14 | volatile memory. |
| 15 | |
| 16 | 12. The Set Top Box of claim 11, wherein the non-volatile memory comprises |
| 17 | a Read Only Memory. |
| 18 | |
| 19 | 13. The Set Top Box of claim 10, wherein the program means further comprises |
| 20 | means for collecting registration information from a user. |
| 21 | |

TOEZTO" EEEZ9Z60

Docket No.: SNY-P3846 -15- PATENT

| | 1 | 14. | The Set Top Box of claim 10, wherein the program means further comprises |
|--------|----------------|-------|---|
| | 2 | mean | s for exchanging authentication information with a Master Server. |
| | 3 | | |
| | 4 | 15. | The Set Top Box of claim 10, wherein the program means for initiating a |
| | 5 | down | load further comprises means for initiating a download by: |
| | 6 | | connecting to a Master Server; |
| | 7 | | obtaining a URL from the Master Server; and |
| | 8 | | connecting to the URL via the service provider. |
| | 9 | | |
| | 10 | 16. | The Set Top Box of claim 10, wherein the program means for initiating a |
| | 11 | down | load further comprises means for initiating a download by: |
| | 12 13 | | connecting to a Master Server; |
| = | | | obtaining a URL from the Master Server; |
| | 14 15 16 | | obtaining a telephone number for a service provider from the Master Server; |
| N W | 15 | and | |
| H | 16 | | connecting to the URL via the service provider by dialing the telephone |
| | 17 | numb | er provided by the Master Server. |
| | 18 | | |
| | 19 | 17. | The Set Top Box of claim 10, wherein the program means further comprises |
| | 20 | mean | s for decompressing the operating system and the application before |
| | 21 | execu | uting the application on the processor using the operating system. |


Docket No.: SNY-P3846 -16- PATENT

| 1 | 18. | A client device capable of running applications under a plurality of operating |
|----|---------|--|
| 2 | syster | ns, comprising: |
| 3 | | a central processor; |
| 4 | | a first memory storing boot code for booting the central processor into an |
| 5 | opera | tional state which presents a user with a choice of a plurality of operational |
| 6 | enviro | nments; |
| 7 | | a modem, which downloads from a remote server an operating system |
| 8 | assoc | iated with a selection by the user of an operating environment, and |
| 9 | | wherein the first memory, upon completion of the download, configures the |
| 10 | client | device to run under the operating system. |
| 11 | | |
| 12 | 19. | The client device of claim18, wherein the first memory comprises a non- |
| 13 | volatil | e memory element. |
| 14 | | |
| 15 | 20. | The client device of claim18, wherein the first memory comprises a Read |
| 16 | Only N | Memory. |
| 17 | | |
| 18 | 21. | The client device of claim 18, wherein the boot code further comprises code |
| 19 | for col | lecting registration information from a user. |
| 20 | | |
| 21 | 22. | The client device of claim 18, wherein the boot code further comprises code |
| 22 | for exc | changing authentication the remote server. |

| 1 | | 23. | The client device of claim 16, wherein the poot code further comprises code |
|------------------------|---|---------|---|
| 2 | | for ini | tiating the download by the modem by: |
| 3 | ı | | first connecting to a Master Server; |
| 4 | | | obtaining a URL from the Master Server corresponding to the remote server; |
| 5 | 1 | and | |
| 6 | 1 | | connecting to the URL via an Internet service provider. |
| 7 | | | |
| 8 | | 24. | The client device of claim 18, wherein the boot code further comprises code |
| 9 | | for ini | tiating the download by the modem by: |
| ☐ @ 10 | | | first connecting to a Master Server; |
| 口 如 10 划 切 11 | | | obtaining a URL from the Master Server corresponding to the remote server; |
| เป ^{ื่} 12 | | | obtaining a telephone number for a service provider from the Master Server; |
| ய 13 | | and | |
| 14 N 15 O 15 | | | connecting to the URL via the service provider by dialing the telephone |
| 加 山 15 | | numb | er provided by the Master Server. |
| □ ⊢ 16 | | | |
| 17 | | 25. | The client device of claim 18, wherein the boot code further comprises code |
| 18 | | for de | compressing the operating system. |

Docket No.: SNY-P3846 -18- PATENT

| | 1 | 26. | A computer-readable medium tangibly embodying instructions which, when |
|----------|----|--------|--|
| | 2 | execu | uted by a computer, implement a process comprising: |
| | 3 | | presenting a user with a selection of operating environments; |
| | 4 | ÷ | receiving a user input selecting an operating environment; |
| | 5 | | downloading an operating system corresponding to the operating |
| | 6 | enviro | onment; and |
| | 7 | | loading and running the operating system. |
| | 8 | | |
| , | 9 | 27. | The computer-readable medium of claim 26 embodied in a non-volatile |
| | 10 | memo | ory. |
| Į. Ū | 11 | | |
| W | 12 | 28. | The computer-readable medium of claim 26 embodied in a Read Only |
| u | 13 | Memo | ory element. |
| | 14 | | |
| | 15 | 29. | The computer-readable medium of claim 26, wherein the instructions |
| 1 4 | 16 | instru | ct the operating system to be loaded to memory location corresponding to a |
| | 17 | flash | memory element. |
| | 18 | | |
| | 19 | 30. | The computer-readable medium of claim 26, wherein the operational |
| | 20 | enviro | onment comprises an entertainment network service application operating |
| | 21 | enviro | onment. |
| | 22 | | |



Docket No.: SNY-P3846 -20- PATENT

22